


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Tobacco Stocks Report

as of January 1, 1949



U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.
February 16, 1949

CONTENTS

| | Page |
|---|-------|
| Discussion - - - - - | 1 - 3 |
| Conversion factors for adjusting for losses in weight - - - - - | 4 |
| Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent - - - - - | 5 |
| Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)- - - - - | 6 |
| Stocks of leaf tobacco, by types and groups of grades - - - - - | 7-13 |
| Stocks of Burley tobacco, by groups and qualities - - - - - | 14 |
| Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - - | 15 |
| Stocks of leaf tobacco, summary by types - - - - - | 16 |

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

- A-Wrappers
- B-Leaf and smoking leaf
- C-Cutters
- X-Lugs and primings
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 31:

- A-Wrappers
- B-Bright leaf, red leaf, and tips
- C-Lugs and cutters
- X-Trash and flyings
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 32:

- B-Heavy leaf or dull crop
- C-Thin leaf or bright crop
- X-Seconds and ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 41:

- B-Binders or tops
- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 46:

- C-Superior
- X-Inferior
- Y-Defectuoso
- S-Scrap (Picadura)
- N-Nondescript

GROUPS OF TYPES 51, 52:

- A-Wrappers
- B-Binders, seconds, and brokes
- C-Fillers and short darks
- X-Stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 53:

- B-Binders, seconds, and brokes
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 54 and 55:

- B-Binders
- C-Fillers
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 56:

- B-Binders
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 61 and 62:

- A-Wrappers
- B-Stout wrappers and binders
- C-Fillers or tips
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

- A-Wrappers
- C-Fillers
- S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Leaf Tobacco Stocks Largest on Record

Stocks of all types ^{1/} of leaf tobacco reported by dealers and manufacturers in the United States and Puerto Rico amounted to 3,875 million pounds on January 1, 1949 ^{2/}. This is 75 million pounds, or about 2 percent higher than stocks reported on the same date last year, and represents the highest holdings on record for January 1.

By January 1, around 1,480 million pounds of the 1948 crop had been marketed, or approximately 75 percent of the total production. During the quarter, October-December 1948, about 750 million pounds entered stocks through purchases and deliveries.

For the southern types, flue-cured stocks increased 2.5 percent over January 1 a year earlier, fire-cured 15.8 percent, Burley 1.4 percent, Maryland 4.7 percent, and Dark air-cured 2.1 percent. Stocks of a number of the cigar-leaf types of tobacco were slightly lower than a year ago but exceptions were Connecticut Broadleaf and Georgia and Florida Shade which were somewhat larger than on last January 1.

^{1/} Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Figures quoted in comments of reports prior to July 1, 1946, were on a reported weight basis. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

^{2/} The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Stocks of Flue-cured, Burley, Maryland and Turkish Up
From A Year Ago

Dealers and manufacturers inventories of flue-cured tobacco totaled 2,023 million pounds as of January 1, 1949, which were 50 million pounds above holdings a year ago, and a new high level for this quarter. Marketing of the 1948 flue-cured crop of 1,081 million pounds was completed in December.

The Burley tobacco markets opened for the sale of the 1948 crop in November and the volume sold before January 1 was exceedingly large. Sales totaled over 350 million pounds compared with 295 million marketed in the fourth quarter of 1947. Stocks of Burley this January 1 were 1,112 million pounds or about 16 million above the January 1, 1948, figure as the rapid marketing of the 1948 crop accounted for the higher stocks.

Holdings of Maryland tobacco were up 2.1 million pounds from the previous January 1 with stocks amounting to 46.9 million pounds on January 1, 1949.

Stocks of Foreign-grown cigarette tobacco (Turkish and other) were 128.3 million pounds compared with 122.9 million on hand a year earlier.

DARK TOBACCO STOCKS

Fire-cured and Dark Air-cured Holdings Greater
Than on Last January 1.

Fire-cured tobacco stocks, Types 21-24, had climbed to 151.7 million pounds for an increase of 20.7 million pounds from a year ago. The Virginia fire-cured markets, Type 21, opened in November and around 5.4 million pounds were sold prior to January 1. Kentucky and Tennessee markets for Types 22 and 23 did not begin sales of the 1948 crop until in January. Holdings of fire-cured leaf by types were divided as follows: Virginia fire-cured 24.4 million pounds, Eastern District 87.7 million and Western District Kentucky and Tennessee 39.3 million, and Henderson Stemming 0.3 million.

Stocks of Dark air-cured tobacco, Types 35-37, were 80.3 million pounds on January 1, 1949, compared with 78.6 million for the corresponding quarter last year. The markets for all three types opened during the fourth quarter, and sales by types during the quarter were 8.5 million pounds of One Sucker, 4.8 million of Green River and 1.2 million of Virginia Sun-cured. Holdings of one sucker tobacco on January 1, 1949 were 43.0 million pounds, Green River 33.8 million and Virginia Sun-cured holdings were 3.5 million pounds.

CIGAR LEAF STOCKS

Cigar Leaf Stocks Slightly Lower Than A Year Earlier

Stocks of all types of domestic cigar-leaf tobacco including Puerto Rican reported by dealers and manufacturers on January 1, 1949, totaled 307.5 million pounds (farm-sales-weight equivalent), about 10.8 million pounds below the figure for January 1 last year. The most significant decrease was in holdings of Puerto Rican filler although inventories of several other types were also lower. Stocks of Foreign-grown cigartobacco on January 1, 1949, were 23.5 million pounds (unstemmed equivalent) compared with 32.5 million a year ago.

Total domestic-grown cigar-filler tobacco holdings were 162.8 million pounds - a decrease of about 8 million pounds from the January 1, 1948 level. Stocks of Pennsylvania and the Ohio filler types were approximately the same as reported a year ago but Puerto Rican stocks had decreased about 7.6 million pounds. Filler tobacco stocks on January 1, 1949, according to types were 82.5 million pounds of Pennsylvania filler, 22.3 million of the Ohio filler types, and 58 million of Puerto Rican filler of which 22.8 million pounds were held on the Island.

Connecticut Valley Havana Seed is the only binder type where the new crop normally enters stocks in significant quantities during the fourth quarter. However, based on stocks it appears that less of the 1948 crop was delivered before January 1 this year than for the previous crop and stocks of this type were about 2.6 million pounds below a year ago. Northern Wisconsin stocks were also lower than on last January 1 but holdings of Connecticut Valley Broadleaf were up about 1.3 million pounds. Total binder stocks were 121.3 million pounds on January 1 this year as compared with 124.5 million on January 1, 1948. Cigar binder stocks were divided as follows: Connecticut Valley Broadleaf 28.9 million pounds, Connecticut Valley Havana Seed 22.0 million pounds, New York and Pennsylvania Havana Seed 2.2 million, Southern Wisconsin 35.5 million, Northern Wisconsin 32.6 million and Georgia and Florida Binder 0.2 million.

Shade-grown cigar wrapper stocks were 23.5 million pounds compared with 23.0 million on January 1 last year. Larger holdings of Type 62 more than balanced a decline in Type 61 stocks. On January 1, 1949, stocks of Connecticut Valley shade-grown were 16.2 million pounds, and Georgia and Florida shade 7.3 million. The 1948 production of shade tobacco, estimated at 13.8 million pounds, had entered stocks by January 1.

Stocks of Cuban (Havana) filler continued to decrease, amounting to 22.9 million pounds (unstemmed equivalent) this January 1 compared with 30.7 million as of January 1, 1948. Holdings of Sumatra and Java were 0.4 million pounds, Philippine Islands (Manila) 0.2 million, and Other foreign-grown cigar-leaf 0.1 million.

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent 1/

SOUTHERN TYPES (11-37)

| Type | Type No. | Yield realized from farm-sales weight to: | | | | | | Stemming | | Factors used to multiply by to convert reported stocks | |
|---------------------------|-------------|---|-------------------------|---------------------------|-------------------------------------|---|------------------------------------|---|--|---|--|
| | | Packed in domestic order | | | Packed weight export order | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales weight equiv- alent 2/ | | |
| | | To the end of: | | | | | | | | | |
| | | One year in storage | Two years in storage | Three years in storage | | | | | | | |
| | | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | | |
| Flue-cured | 11-14 | 90.0 | 89.1 | 88.7 | 88.0 | 78.0 | 69.0 | 1.282 | 1.12 | | |
| Virginia fire-cured .. | 21 | 85.0 | 84.2 | 83.0 | 83.0 | 77.0 | 64.0 | 1.299 | 1.18 | | |
| Tenn. & Ky. fire-cured .. | 22-23 | 98.5 | 94.6 | 91.8 | 95.0 | 76.0 | 69.5 | 1.316 | 1.04 | | |
| Henderson Stemming | 24 | 90.0 | 87.3 | 86.0 | 86.0 | 76.0 | 64.5 | 1.316 | 1.125 | | |
| Burley | 31 | 90.0 | 88.2 | 87.3 | 89.0 | 74.0 | 64.0 | 1.351 | 1.12 | | |
| Southern Maryland | 32 | 100.0 | 96.0 | 94.1 | 100.0 | 74.0 | 69.0 | 1.351 | 1.02 | | |
| One Sucker | 35 | 92.0 | 90.2 | 88.8 | 90.0 | 70.0 | 61.5 | 1.429 | 1.09 | | |
| Green River | 36 | 90.0 | 87.3 | 86.0 | 85.1 | 76.0 | 64.5 | 1.316 | 1.13 | | |
| Virginia sun-cured | 37 | 89.0 | 88.1 | 87.2 | 85.0 | 76.0 | 66.0 | 1.316 | 1.13 | | |

CIGAR LEAF TYPES (41-62)

| Type | Type No. | Yield realized from farm-sales weight to: | | | | | Stemming | | Factors used to multiply by to convert reported stocks | |
|---------------------------|----------|---|-----------------|---------------------|----------------------|------------------------|---|------------------------------|--|---|
| | | Packed weight | Sampling weight | To the end of: | | | Yield from actual weight at time of operation | Yield from farm-sales weight | Stemmed stocks to unstemmed equivalent | Unstemmed stocks to farm-sales weight equivalent 2/ |
| | | | | One year in storage | Two years in storage | Three years in storage | | | | |
| | | | | | | | | | | |
| Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | | | |
| Pennsylvania Seedleaf ... | 41 | 97.3 | 86.0 | 84.0 | 82.0 | 80.6 | 72.0 | 58.0 | 1.387 | 1.11 |
| Gebhardt | 42 | (3) | 85.6 | 83.3 | 80.9 | 79.3 | 73.0 | 58.0 | { 1.387 | { 1.12 |
| Zimmer | 43 | (3) | 85.4 | 83.0 | 80.8 | 78.9 | 71.5 | 56.5 | | |
| Dutch | 44 | (3) | 86.5 | 84.1 | 81.7 | 80.0 | 70.5 | 56.5 | | |
| Puerto Rico | 46 | 88.0 | 87.1 | 83.6 | 82.0 | 81.1 | 78.5 | 64.5 | 1.275 | 1.17 |
| Connecticut Broadleaf ... | 51 | 97.0 | 87.4 | 85.4 | 83.1 | 81.2 | 77.5 | 62.5 | 1.292 | 1.07 |
| Connecticut Havana Seed | 52 | 97.0 | 87.4 | 85.0 | 83.1 | 81.2 | 77.0 | 62.5 | 1.299 | 1.07 |
| N. Y. & Pa. Havana Seed | 53 | 91.0 | 84.6 | 82.9 | 80.9 | 79.7 | 73.5 | 58.5 | 1.364 | 1.135 |
| Southern Wisconsin | 54 | 96.3 | 83.1 | 81.5 | 79.1 | 77.9 | 77.0 | 59.5 | 1.300 | 1.06 |
| Northern Wisconsin | 55 | 93.7 | 83.8 | 82.4 | 80.6 | 79.2 | 75.0 | 59.0 | 1.333 | 1.085 |
| Ga. & Fla. binder | 56 | 82.5 | 80.8 | 78.8 | 77.2 | 75.7 | 78.5 | 59.0 | 1.275 | 1.245 |
| Connecticut Shade | 61 | 91.1 | 88.7 | 86.3 | 84.4 | 83.0 | 81.5 | 67.5 | 1.224 | 1.135 |
| Ga. & Fla. Shade | 62 | 89.1 | 87.3 | 84.5 | 82.3 | 80.6 | 83.0 | 67.0 | 1.205 | 1.16 |

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

| Type | Type No. | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent | Percent |
|---------------------------|----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Miscellaneous Domestic .. | 72-73 | — | — | — | — | — | — | — | — | — |
| Foreign-grown cigar leaf | 81-84 | — | — | — | — | — | — | — | — | — |
| Foreign-grown cigarette | 85-88 | — | — | — | — | — | — | — | — | — |
| and smoking tobacco .. | 90 | — | — | — | — | — | — | — | — | — |

1 Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkages and Losses in Weight in Handling and Storage, issued in July 1937. 2 Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. 3 Ohio-Miami Valley filler types of tobacco packed in cases by growers before delivery. 4 Tentative factor. 5 Factor has not been determined.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1949, compared with other quarters 1/

FARM-SALES WEIGHT

| Type name | U.S. type number | January 1, 1949 | | | October 1 1948 | July 1 1948 | April 1 1948 |
|--|------------------|-----------------|-----------|-----------|----------------|-------------|--------------|
| | | 1949 | 1948 | 1947 | 1948 | 1948 | 1948 |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Flue cured | 11-14 | 2,023,160 | 1,973,218 | 1,729,701 | 1,874,264 | 1,550,213 | 1,804,336 |
| Virginia fire-cured | 21 | 24,422 | 20,965 | 17,471 | 22,172 | 25,886 | 29,983 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 87,692 | 78,014 | 55,971 | 97,795* | 108,426 | 116,422 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 39,284 | 31,802 | 16,520 | 42,260 | 45,891 | 48,700 |
| Henderson Stemming | 24 | 285 | 207 | 123 | 343 | 313 | 280 |
| Total fire-cured | 21-24 | 151,683 | 130,988 | 90,085 | 162,570* | 180,516 | 195,385 |
| Burley | 31 | 1,111,569 | 1,095,779 | 920,698 | 902,279* | 1,046,330 | 1,174,111 |
| Low-nicotine | 31-V | 218 | - | - | 198 | 214 | 222 |
| Southern Maryland | 32 | 46,885 | 44,786 | 32,382 | 55,988* | 47,300 | 37,427 |
| Total light air-cured | 31-32 | 1,158,672 | 1,140,565 | 953,080 | 958,465* | 1,093,844 | 1,211,760 |
| One Sucker | 35 | 42,954 | 43,248 | 36,948 | 41,581 | 46,223 | 50,505 |
| Green River | 36 | 33,797 | 31,928 | 29,601 | 32,363 | 34,502 | 36,387 |
| Virginia sun-cured | 37 | 3,517 | 3,467 | 2,635 | 3,242 | 3,932 | 4,372 |
| Total dark air-cured | 35-37 | 80,268 | 78,643 | 69,184 | 77,186 | 84,657 | 91,264 |
| Pennsylvania Seedleaf | 41 | 82,454 | 82,640 | 84,971 | 99,815* | 119,982 | 85,968 |
| Ohio Filler (Miami Valley) | 42-44 | 22,345 | 22,645 | 25,319 | 23,886* | 26,018 | 28,606 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 35,233 | 42,100 | 47,949 | 35,954* | 38,329 | 43,272 |
| In Puerto Rico | 46 | 22,755 | 23,457 | 22,647 | 32,069* | 37,641 | 24,350 |
| Total Cigar Filler | 41-46 | 162,787 | 170,842 | 180,886 | 191,724* | 221,970 | 182,196 |
| Connecticut Broadleaf | 51 | 28,871 | 27,582 | 27,514 | 30,347* | 33,624 | 34,616 |
| Connecticut Havana Seed | 52 | 21,955 | 24,534 | 21,376 | 19,343* | 21,684 | 24,359 |
| New York and Pa. Havana Seed | 53 | 2,211 | 2,545 | 1,145 | 2,508* | 3,160 | 2,193 |
| Southern Wisconsin | 54 | 35,495 | 35,392 | 27,885 | 37,214 | 42,158 | 46,784 |
| Northern Wisconsin | 55 | 32,565 | 34,220 | 23,651 | 36,175* | 41,074 | 43,273 |
| Georgia and Florida binder | 56 | 180 | 229 | 295 | 239 | 212 | 314 |
| Total cigar binder | 51-56 | 121,277 | 124,502 | 101,866 | 125,826* | 141,912 | 151,539 |
| Connecticut shade | 61 | 16,178 | 16,932 | 14,884 | 12,186* | 10,708 | 13,603 |
| Georgia and Florida shade | 62 | 7,280 | 6,031 | 5,542 | 7,830* | 3,823 | 4,681 |
| Total cigar wrapper | 61-62 | 23,458 | 22,963 | 20,426 | 20,016* | 14,531 | 18,284 |
| Perique | 72 | 831 | 730 | 838 | 892 | 712 | 803 |
| Other Miscellaneous Domestic 2/ | 73 | 956 | 2,000 | 2,493 | 910* | 1,357 | 1,737 |
| Total Miscellaneous Domestic | 72-73 | 1,787 | 2,730 | 3,331 | 1,802* | 2,069 | 2,540 |
| Cuba (Havana) 3/ | 81 | 22,882 | 30,744 | 34,822 | 24,164* | 26,540 | 28,027 |
| Sumatra and Java 3/ 4/ | 82 | 352 | 774 | 1,027 | 467 | 612 | 804 |
| Philippine Islands (Manila) 3/ | 83 | 211 | 866 | 486 | 315 | 458 | 754 |
| Other foreign-grown cigar leaf 3/ | 84 | 96 | 93 | 161 | 105* | 102 | 101 |
| Total foreign-grown cigar leaf 3/ | 81-84 | 23,541 | 32,477 | 36,496 | 25,051* | 27,712 | 29,686 |
| Foreign-grown cigarette & smoking tobacco (Turkish & other) 3/ | 90 | 128,347 | 122,923 | 96,587 | 112,422 | 126,728 | 126,822 |
| Total all types | 11-90 | 3,874,980 | 3,799,851 | 3,281,642 | 3,549,326* | 3,444,152 | 3,813,812 |

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for January 1, 1949 are as follows: Type 41, 110; Types 42-44, 113; Type 51, 107; Type 52, 106; Type 53, 113; Type 54, 106; Type 55, 108; Type 56, 124; Type 61, 107; Type 62, 112. Factors shown in Table 1 used prior to October 1, 1948. January 1, 1949 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 6 on page 13.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in October 1 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified type, 1943-48 1/

PENNSYLVANIA SEEDLEAF, TYPE 41

| Marketing year beginning October 1 | Production | Carry-over (stocks October 1) | Total supply | Disappearance (supply less carry-over following year) | Average price to growers |
|--|------------------|-------------------------------------|-------------------|--|--------------------------------|
| | <u>1,000 lb.</u> | <u>1,000 lb.</u> | <u>1,000 lb.</u> | <u>1,000 lb.</u> | <u>Cents</u> |
| 1943 | 39,564 | 109,601 | 149,165 | 42,405 | 18.6 |
| 1944 | 52,260 | 106,760 | 159,020 | 50,287 | 19.7 |
| 1945 | 45,760 | 108,733 | 154,493 | 53,270 | 34.0 |
| 1946 | 58,188 | 101,223 | 159,411 | 60,940 | 32.5 |
| 1947 | 57,618 | 98,471 | 156,089 | <u>2/</u> 56,274 | 30.5 |
| 1948 | <u>3/</u> 62,720 | <u>2/</u> 99,815 | <u>2/</u> 162,535 | | |

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ Revision in October 1, report.

3/ December 1 estimate, U. S. Crop Reporting Board.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 5,865 | 5 | 5,870 | 4,811 | 1 | 4,812 |
| B | 142,075 | 9,754 | 151,829 | 96,806 | 4,873 | 101,679 |
| C | 138,027 | 55,420 | 193,447 | 137,623 | 23,396 | 161,019 |
| X | 224,484 | 69,866 | 294,350 | 204,571 | 40,178 | 244,749 |
| S | 5,798 | 5,106 | 10,904 | 4,698 | 4,829 | 9,527 |
| N | 12,427 | 1,086 | 13,513 | 10,688 | 1,201 | 11,889 |
| Total | 528,676 | 141,237 | 669,913 | 459,197 | 74,478 | 533,675 |

Type 12, Eastern North Carolina flue-cured

| | | | | | | |
|-------|---------|---------|---------|---------|--------|---------|
| A | 1,021 | - | 1,021 | 764 | - | 764 |
| B | 67,877 | 15,779 | 83,656 | 63,605 | 10,371 | 73,976 |
| C | 135,994 | 48,398 | 184,392 | 155,800 | 31,232 | 187,032 |
| X | 180,635 | 64,223 | 244,858 | 186,617 | 49,168 | 235,785 |
| S | 5,964 | 2,676 | 8,640 | 4,785 | 2,255 | 7,040 |
| N | 6,114 | 973 | 7,087 | 6,110 | 656 | 6,766 |
| Total | 397,605 | 132,049 | 529,654 | 417,681 | 93,682 | 511,363 |

Type 13, South Carolina flue-cured (including southeastern North Carolina)

| | | | | | | |
|-------|---------|--------|---------|---------|--------|---------|
| A | 1,131 | - | 1,131 | 999 | - | 999 |
| B | 42,092 | 8,671 | 50,763 | 47,825 | 7,478 | 55,303 |
| C | 70,368 | 12,507 | 82,875 | 79,144 | 10,776 | 89,920 |
| X | 138,334 | 40,694 | 179,028 | 155,416 | 42,066 | 197,482 |
| S | 2,368 | 1,414 | 3,782 | 2,593 | 1,355 | 3,948 |
| N | 1,341 | 191 | 1,532 | 2,863 | 257 | 3,120 |
| Total | 255,634 | 63,477 | 319,111 | 288,840 | 61,932 | 350,772 |

Type 14, Georgia and Florida flue-cured

| | | | | | | |
|-------|--------|---------|---------|--------|---------|---------|
| B | 11,411 | 12,779 | 24,190 | 12,779 | 9,809 | 22,588 |
| C | 1,247 | 54,584 | 55,831 | 6,686 | 61,751 | 68,437 |
| X | 15,178 | 58,944 | 74,122 | 14,457 | 65,478 | 79,935 |
| S | 515 | 982 | 1,497 | 604 | 1,065 | 1,669 |
| N | 812 | 312 | 1,124 | 851 | 257 | 1,108 |
| Total | 29,163 | 127,601 | 156,764 | 35,377 | 138,360 | 173,737 |

Types 11-14, Total flue-cured

| | | | | | | |
|-------|-----------|---------|-----------|-----------|---------|-----------|
| A | 8,017 | 5 | 8,022 | 6,574 | 1 | 6,575 |
| B | 263,455 | 46,983 | 310,438 | 221,015 | 32,531 | 253,546 |
| C | 345,636 | 170,909 | 516,545 | 379,253 | 127,155 | 506,408 |
| X | 558,631 | 233,727 | 792,358 | 561,061 | 196,890 | 757,951 |
| S | 14,645 | 10,178 | 24,823 | 12,680 | 9,504 | 22,184 |
| N | 20,694 | 2,562 | 23,256 | 20,512 | 2,371 | 22,883 |
| Total | 1,211,078 | 464,364 | 1,675,442 | 1,201,095 | 368,452 | 1,569,547 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948 - Cont'd (REPORTED WEIGHT)

Type 21, Virginia fire-cured

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 300 | - | 300 | 279 | - | 279 |
| B | 9,679 | 70 | 9,749 | 8,925 | 18 | 8,943 |
| C | 2,756 | - | 2,756 | 2,032 | - | 2,032 |
| X | 7,192 | 203 | 7,395 | 7,012 | 142 | 7,154 |
| S | 219 | 4 | 223 | 230 | 1 | 231 |
| N | 159 | 25 | 184 | 64 | 30 | 94 |
| Total | 20,305 | 302 | 20,607 | 18,542 | 191 | 18,733 |

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

| | | | | | | |
|-------|--------|-----|--------|---------|-----|---------|
| A | 4,807 | 35 | 4,842 | 5,856 | 20 | 5,876 |
| B | 47,403 | 289 | 47,692 | 52,834* | 83 | 52,917* |
| C | 5,980 | 61 | 6,041 | 7,733 | 114 | 7,847 |
| X | 24,638 | 2 | 24,640 | 26,208* | - | 26,208* |
| S | 477 | 28 | 505 | 638 | 5 | 643 |
| N | 468 | - | 468 | 473 | - | 473 |
| Total | 83,773 | 415 | 84,188 | 93,742* | 222 | 93,964* |

Type 23, Kentucky and Tennessee fire-cured (Western District)

| | | | | | | |
|-------|--------|----|--------|--------|-----|--------|
| A | 147 | 1 | 148 | 152 | 1 | 153 |
| B | 19,907 | 12 | 19,919 | 22,075 | 19 | 22,094 |
| C | 6,180 | 11 | 6,191 | 5,889 | 3 | 5,892 |
| X | 10,236 | 15 | 10,251 | 10,142 | 124 | 10,266 |
| S | 303 | 9 | 312 | 1,221 | 4 | 1,225 |
| N | 937 | - | 937 | 957 | - | 957 |
| Total | 37,710 | 48 | 37,758 | 40,436 | 151 | 40,587 |

Type 24, Henderson Stemming

| | | | | | | |
|-------|-----|----|-----|-----|----|-----|
| A | 2 | - | 2 | 2 | - | 2 |
| B | 73 | - | 73 | 66 | - | 66 |
| C | 25 | - | 25 | 21 | - | 21 |
| X | 110 | - | 110 | 96 | - | 96 |
| S | - | 14 | 14 | 78 | 17 | 95 |
| N | 25 | - | 25 | 20 | - | 20 |
| Total | 235 | 14 | 249 | 283 | 17 | 300 |

Types 21-24, Total fire-cured

| | | | | | | |
|-------|---------|-----|---------|----------|-----|----------|
| A | 5,256 | 36 | 5,292 | 6,289 | 21 | 6,310 |
| B | 77,062 | 371 | 77,433 | 83,900* | 120 | 84,020* |
| C | 14,941 | 72 | 15,013 | 15,675 | 117 | 15,792 |
| X | 42,176 | 220 | 42,396 | 43,458* | 266 | 43,724* |
| S | 999 | 55 | 1,054 | 2,167 | 27 | 2,194 |
| N | 1,589 | 25 | 1,614 | 1,514 | 30 | 1,544 |
| Total | 142,023 | 779 | 142,802 | 153,003* | 581 | 153,584* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948 - Cont'd
(REPORTED WEIGHT)

Type 31, Burley 2/

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed : | Stemmed : | Total : | Unstemmed : | Stemmed : | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 2,182 | - | 2,182 | 1,900 | - | 1,900 |
| B | 264,177 | 38,151 | 302,328 | 219,441* | 38,198 | 257,639* |
| C | 363,914 | 76,356 | 440,270 | 268,712 | 69,858 | 338,570 |
| X | 158,545 | 25,324 | 183,869 | 121,459 | 23,572 | 145,031 |
| S | 4,167 | 7,343 | 11,510 | 4,346 | 7,363 | 11,709 |
| N | 651 | 3 | 654 | 1,920 | 38 | 1,958 |
| Total | 793,636 | 147,177 | 940,813 | 617,778* | 139,029 | 756,807* |

Type 31-V, Low-Nicotine

| | | | | | | |
|-------|----|-----|-----|----|----|-----|
| Total | 47 | 132 | 179 | 50 | 94 | 144 |
|-------|----|-----|-----|----|----|-----|

Type 32, Southern Maryland

| | | | | | | |
|-------|--------|--------|--------|---------|--------|---------|
| B | 5,607 | 7 | 5,614 | 6,110* | 103 | 6,213* |
| C | 12,824 | 14,071 | 26,895 | 18,373 | 14,324 | 32,697 |
| X | 3,218 | 79 | 3,297 | 4,681* | 106 | 4,787* |
| S | 319 | 591 | 910 | 285 | 549 | 834 |
| N | 4,056 | 13 | 4,069 | 5,048 | 13 | 5,061 |
| Total | 26,024 | 14,761 | 40,785 | 34,497* | 15,095 | 49,592* |

Type 35, One Sucker

| | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|
| A | 1,121 | - | 1,121 | 1,189 | - | 1,189 |
| B | 15,598 | 10 | 15,608 | 14,713 | 5 | 14,718 |
| C | 6,898 | - | 6,898 | 6,378 | - | 6,378 |
| X | 13,150 | 415 | 13,565 | 13,193 | 465 | 13,658 |
| S | 548 | 1 | 549 | 395 | 2 | 397 |
| N | 1,266 | 152 | 1,418 | 1,354 | 176 | 1,530 |
| Total | 38,581 | 578 | 39,159 | 37,222 | 648 | 37,870 |

Type 36, Green River

| | | | | | | |
|-------|--------|-----|--------|--------|-----|--------|
| A | 52 | - | 52 | 46 | - | 46 |
| B | 14,172 | 372 | 14,544 | 13,051 | 215 | 13,266 |
| C | 2,869 | 2 | 2,871 | 2,733 | 2 | 2,735 |
| X | 10,630 | 582 | 11,212 | 10,733 | 591 | 11,324 |
| S | 34 | 1 | 35 | 197 | - | 197 |
| N | 875 | 13 | 888 | 800 | 13 | 813 |
| Total | 28,632 | 970 | 29,602 | 27,560 | 821 | 28,381 |

Type 37, Virginia sun-cured

| | | | | | | |
|-------|-------|-----|-------|-------|-----|-------|
| A | 55 | - | 55 | 49 | - | 49 |
| B | 1,489 | 56 | 1,545 | 714 | 45 | 759 |
| C | 607 | 225 | 832 | 437 | 241 | 678 |
| X | 465 | 32 | 497 | 1,168 | 45 | 1,213 |
| S | 58 | - | 58 | 58 | - | 58 |
| N | 25 | 1 | 26 | 5 | 1 | 6 |
| Total | 2,699 | 314 | 3,013 | 2,431 | 332 | 2,763 |

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,228 | — | 1,228 | 1,284 | — | 1,284 |
| B | 31,259 | 438 | 31,697 | 28,478 | 265 | 28,743 |
| C | 10,374 | 227 | 10,601 | 9,548 | 243 | 9,791 |
| X | 24,245 | 1,029 | 25,274 | 25,094 | 1,101 | 26,195 |
| S | 640 | 2 | 642 | 650 | 2 | 652 |
| N | 2,166 | 166 | 2,332 | 2,159 | 190 | 2,349 |
| Total | 69,912 | 1,862 | 71,774 | 67,213 | 1,801 | 69,014 |

Type 41, Pennsylvania Seedleaf

| | | | | | | |
|-------|--------|-------|--------|---------|--------|---------|
| B | 2,392 | 16 | 2,408 | 3,822* | 12 | 3,834* |
| C | 55,517 | 2,931 | 58,448 | 68,700* | 2,733* | 71,433* |
| X | 5,700 | 819 | 6,519 | 7,891 | 782 | 8,673 |
| Y | 3,982 | 381 | 4,363 | 5,423 | 414 | 5,837 |
| S | 69 | 1,087 | 1,156 | 47 | 748* | 795* |
| N | 38 | — | 38 | 34 | — | 34 |
| Total | 67,698 | 5,234 | 72,932 | 85,917* | 4,689* | 90,606* |

Types 42-44, Ohio Filler (Miami Valley)

| | | | | | | |
|-------|--------|-------|--------|--------|--------|---------|
| C | 13,683 | 158 | 13,841 | 14,064 | 92 | 14,156 |
| X | 948 | 130 | 1,078 | 2,028 | 81 | 2,109 |
| Y | 3,347 | 861 | 4,208 | 3,221 | 500 | 3,721 |
| S | 5 | 138 | 143 | 16 | 630* | 646* |
| N | — | 4 | 4 | — | 1 | 1 |
| Total | 17,983 | 1,291 | 19,274 | 19,329 | 1,304* | 20,633* |

Type 46, Puerto Rican (In Continental United States)

| | | | | | | |
|-------|-------|--------|--------|-------|---------|---------|
| C | 6 | 13,463 | 13,469 | 5 | 19,193* | 19,198* |
| X | 2,721 | 1,348 | 4,071 | 2,927 | 886 | 3,813 |
| Y | 114 | 307 | 421 | 530 | 29 | 559 |
| S | 61 | 1,223 | 1,284 | 83 | 1,212* | 1,295* |
| N | — | — | — | 1 | 1 | 2 |
| Total | 2,904 | 21,341 | 24,245 | 3,546 | 21,321* | 24,867* |

Type 46, Puerto Rican (In Puerto Rico)

| | | | | | | |
|-------|--------|-------|--------|---------|-------|---------|
| C | 8,240 | 1,711 | 9,951 | 11,918 | 1,578 | 13,496 |
| X | 2,845 | 1,404 | 4,249 | 4,610 | 1,692 | 6,302 |
| Y | 2,708 | 419 | 3,157 | 4,620* | 590 | 5,210* |
| S | 130 | 766 | 896 | 334 | 782 | 1,116 |
| N | 4 | 1 | 5 | 8 | — | 8 |
| Total | 13,927 | 4,331 | 18,258 | 21,490* | 4,642 | 26,132* |

Type 46, Total Puerto Rican

| | | | | | | |
|-------|--------|--------|--------|---------|---------|---------|
| C | 8,246 | 20,174 | 28,420 | 11,923 | 20,771* | 32,694* |
| X | 5,568 | 2,752 | 8,320 | 7,537 | 2,578 | 10,115 |
| Y | 2,822 | 756 | 3,578 | 5,150* | 619 | 5,769* |
| S | 191 | 1,989 | 2,180 | 417 | 1,994* | 2,411* |
| N | 4 | 1 | 5 | 9 | 1 | 10 |
| Total | 16,831 | 25,672 | 42,503 | 25,036* | 25,963* | 50,999* |

See footnotes at end of table.

Continued --

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948 -- Cont'
(REPORTED WEIGHT)

Type 51, Connecticut Broadleaf

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed : | Stemmed : | Total : | Unstemmed : | Stemmed : | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,773 | 1 | 1,774 | 1,563 | 4 | 1,567 |
| B | 18,837 | 90 | 18,927 | 19,643* | 94 | 19,737* |
| C | 241 | 1 | 242 | 269 | - | 269 |
| X | 4,489 | 294 | 4,783 | 5,371 | 263 | 5,634 |
| S | 48 | 702 | 750 | 26 | 580* | 606* |
| N | 187 | 1 | 188 | 273 | 1 | 274 |
| Total | 25,575 | 1,089 | 26,664 | 27,145* | 942* | 28,087* |

Type 52, Connecticut Havana Seed

| | | | | | | |
|-------|--------|-----|--------|---------|------|---------|
| A | 1,546 | 2 | 1,548 | 1,644 | 3 | 1,647 |
| B | 13,986 | 37 | 14,023 | 11,430* | 46 | 11,476* |
| C | 259 | - | 259 | 45 | 1 | 46 |
| X | 4,332 | 284 | 4,616 | 4,492 | 218 | 4,710 |
| S | 12 | 121 | 133 | 1 | 91* | 92* |
| Total | 20,135 | 444 | 20,579 | 17,612* | 359* | 17,971* |

Type 53, New York and Pennsylvania Havana Seed

| | | | | | | |
|-------|-------|----|-------|-------|-----|--------|
| B | 1,142 | 11 | 1,153 | 1,157 | 4* | 1,161* |
| X | 671 | - | 671 | 942 | - | 942 |
| S | 96 | 17 | 113 | 101 | 13 | 114 |
| N | 10 | - | 10 | 16 | - | 16 |
| Total | 1,919 | 28 | 1,947 | 2,216 | 17* | 2,233* |

Type 54, Southern Wisconsin

| | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|
| B | 11,041 | 27 | 11,068 | 10,703 | 23 | 10,726 |
| C | 130 | 13 | 143 | 141 | 17 | 158 |
| X | 18,924 | 2,538 | 21,462 | 20,623 | 2,732 | 23,355 |
| S | 1 | 27 | 28 | - | 27 | 27 |
| N | 3 | - | 3 | 2 | - | 2 |
| Total | 30,099 | 2,605 | 32,704 | 31,469 | 2,799 | 34,268 |

Type 55, Northern Wisconsin

| | | | | | | |
|-------|--------|-----|--------|---------|------|---------|
| B | 16,352 | 80 | 16,432 | 17,308* | 93 | 17,401* |
| C | 1,665 | 191 | 1,856 | 2,283 | 173 | 2,456 |
| X | 11,024 | 355 | 11,379 | 12,338 | 553 | 12,891 |
| S | 10 | 145 | 155 | 224 | 163* | 387* |
| N | 74 | - | 74 | 33 | - | 33 |
| Total | 29,125 | 771 | 29,896 | 32,186* | 982* | 33,168* |

Type 56, Georgie and Florida binders

| | | | | | | |
|-------|-----|---|-----|-----|----|-----|
| B | 143 | - | 143 | 206 | 12 | 218 |
| S | - | - | - | - | 1 | 1 |
| N | 2 | - | 2 | - | - | - |
| Total | 145 | - | 145 | 206 | 13 | 219 |

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Type 61, Connecticut Shade

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed : | Stemmed : | Total : | Unstemmed : | Stemmed : | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 14,199 | 10 | 14,209 | 10,222* | 21 | 10,243* |
| B | 374 | 3 | 377 | 310 | 11 | 321 |
| C | 365 | - | 365 | 216 | 2* | 218* |
| S | - | 133 | 133 | 1* | 150* | 151* |
| N | - | 3 | 3 | 4 | - | 4 |
| Total | 14,938 | 149 | 15,087 | 10,753* | 184* | 10,937* |

Type 62, Georgia and Florida Shade

| | | | | | | |
|-------|-------|----|-------|--------|----|--------|
| A | 6,165 | 11 | 6,176 | 6,894* | 12 | 6,906* |
| B | 251 | 8 | 259 | 384 | - | 384 |
| C | 35 | - | 35 | 7 | - | 7 |
| S | 5 | 13 | 18 | - | 12 | 12 |
| N | 5 | - | 5 | 3 | 1 | 4 |
| Total | 6,461 | 32 | 6,493 | 7,288* | 25 | 7,313* |

SUMMARY ALL CIGAR TOBACCO 3/

January 1, 1949

| Group | Filler Types 41-46 4/ | Binder Types 51-56 | Wrapper Types 61-62 | Foreign Types 81-84 5/ | Total |
|-------|-----------------------------|--------------------------|---------------------------|------------------------------|-----------|
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | - | 3,322 | 20,385 | 978 | 24,685 |
| B | 2,408 | 61,746 | 636 | - | 67,790 |
| C | 100,709 | 2,500 | 400 | 15,177 | 118,786 |
| X | 15,917 | 42,911 | - | - | 58,828 |
| Y | 12,149 | - | - | - | 12,149 |
| S | 3,479 | 1,179 | 151 | 4,248 | 9,057 |
| N | 47 | 277 | 8 | - | 332 |
| Total | 134,709 | 111,935 | 21,580 | 20,403 | 288,627 |

October 1, 1948

| | | | | | |
|-------|----------|----------|---------|---------|----------|
| A | - | 3,214 | 17,149* | 908* | 21,271* |
| B | 3,834* | 60,719* | 705 | - | 65,258* |
| C | 118,283* | 2,929 | 225* | 16,499* | 137,936* |
| X | 20,897 | 47,532 | - | - | 68,429 |
| Y | 15,327* | - | - | - | 15,327* |
| S | 3,852* | 1,227* | 163* | 4,258* | 9,500* |
| N | 45 | 325 | 8 | - | 378 |
| Total | 162,238* | 115,946* | 18,250* | 21,665* | 318,153* |

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948 - Cont'd.
(REPORTED WEIGHT)

Type 72, Perique

| Group | January 1, 1949 1/ | | | October 1, 1948 | | |
|-------|--------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Total | - | 572 | 572 | - | 614 | 614 |

Type 73, Other miscellaneous domestic 6/

| | | | | | | |
|-------|-----|-----|-----|-----|------|------|
| Total | 205 | 504 | 709 | 175 | 495* | 670* |
|-------|-----|-----|-----|-----|------|------|

Types 72-73, Total miscellaneous domestic

| | | | | | | |
|-------|-----|-------|-------|-----|--------|--------|
| Total | 205 | 1,076 | 1,281 | 175 | 1,109* | 1,284* |
|-------|-----|-------|-------|-----|--------|--------|

Type 81, Cuba (Havana)

| | | | | | | |
|-------|-------|--------|--------|--------|---------|---------|
| A | 605 | 47 | 652 | 438* | 41 | 479* |
| C | 3,628 | 11,374 | 15,002 | 3,939* | 12,314* | 16,253* |
| S | 396 | 3,727 | 4,123 | 458* | 3,686* | 4,144* |
| Total | 4,629 | 15,148 | 19,777 | 4,835* | 16,041* | 20,876* |

Type 82, Sumatra and Java 7/

| | | | | | | |
|-------|-----|---|-----|-----|----|-----|
| A | 326 | - | 326 | 429 | - | 429 |
| C | - | - | - | 19 | - | 19 |
| S | 19 | 6 | 25 | - | 16 | 16 |
| Total | 345 | 6 | 351 | 448 | 16 | 464 |

Type 83, Philippine Islands (Manila)

| | | | | | | |
|-------|----|-----|-----|----|-----|-----|
| C | 13 | 66 | 79 | 41 | 84 | 125 |
| S | 10 | 90 | 100 | 49 | 103 | 152 |
| Total | 23 | 156 | 179 | 90 | 187 | 277 |

Type 84, Other foreign-grown cigar-leaf

| | | | | | | |
|-------|----|---|----|----|-----|------|
| Total | 96 | - | 96 | 86 | 16* | 102* |
|-------|----|---|----|----|-----|------|

Type 90, Foreign-grown cigarette and smoking tobacco (Turkish and other)

| | | | | | | |
|-------|---------|---|---------|---------|---|---------|
| Total | 128,347 | - | 128,347 | 112,422 | - | 112,422 |
|-------|---------|---|---------|---------|---|---------|

Types 11-90, Total all types

| | | | | | | |
|-------|-----------|---------|-----------|------------|----------|------------|
| Total | 2,607,274 | 682,776 | 3,290,050 | 2,450,849* | 579,698* | 3,030,547* |
|-------|-----------|---------|-----------|------------|----------|------------|

1/ Subject to revision.

2/ See Supplementary Burley report on page 14.

3/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.

4/ Includes Puerto Rican on the Island, Type 46.

5/ Type 84.-Other foreign-grown all shown in the C group.

6/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in October 1 report.

Table 5.-Stocks of Burley tobacco, by groups and qualities, owned by dealers and manufacturers, January 1, 1949, compared with October 1, 1948
(REPORTED WEIGHT)

| Group and quality | January 1, 1949 ^{1/} | | | October 1, 1948 | | |
|--|-------------------------------|-----------|-----------|-----------------|-----------|-----------|
| | Unstemmed: | Stemmed: | Total | Unstemmed: | Stemmed: | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A-Wrappers | 2,182 | - | 2,182 | 1,900 | - | 1,900 |
| B-Bright leaf: | | | | | | |
| Choice to fine | 14,164 | 1,244 | 15,408 | 12,900 | 1,008 | 13,908 |
| Medium or good | 40,969 | 3,896 | 44,865 | 36,247* | 3,076 | 39,323* |
| Fair to common | 33,067 | 18,999 | 52,066 | 26,870 | 20,806 | 47,676 |
| Total | 88,200 | 24,139 | 112,339 | 76,017* | 24,890 | 100,907* |
| B-Red leaf (including green): | | | | | | |
| Choice to fine | 9,416 | 1,176 | 10,592 | 7,470 | 1,349 | 8,819 |
| Medium or good | 41,239 | 7,483 | 48,722 | 29,890 | 3,796 | 33,686 |
| Fair to common | 25,800 | 1,271 | 27,071 | 24,078 | 1,368 | 25,446 |
| Total | 76,455 | 9,930 | 86,385 | 61,438 | 6,513 | 67,951 |
| B-Tips: | | | | | | |
| Medium or good | 41,322 | 2,463 | 43,785 | 37,959 | 5,320 | 43,279 |
| Fair to common | 58,200 | 1,619 | 59,819 | 44,027 | 1,475 | 45,502 |
| Total | 99,522 | 4,082 | 103,604 | 81,986 | 6,795 | 88,781 |
| Total bright leaf, Red leaf, and tips | 264,177 | 38,151 | 302,328 | 219,441* | 38,198 | 257,639* |
| C-Lugs and cutters: | | | | | | |
| Choice to fine | 101,842 | 24,717 | 126,559 | 76,458 | 20,929 | 97,387 |
| Medium or good | 141,194 | 28,782 | 169,976 | 107,303 | 26,083 | 133,386 |
| Fair to common | 120,878 | 22,857 | 143,735 | 84,951 | 22,846 | 107,797 |
| Total | 363,914 | 76,356 | 440,270 | 268,712 | 69,858 | 338,570 |
| X-Granulators or flyings: | | | | | | |
| Choice to fine | 50,306 | 8,548 | 58,854 | 37,288 | 6,813 | 44,101 |
| Medium or good | 50,866 | 12,230 | 63,096 | 40,172 | 10,751 | 50,923 |
| Fair to common | 57,373 | 4,546 | 61,919 | 43,999 | 6,008 | 50,007 |
| Total | 158,545 | 25,324 | 183,869 | 121,459 | 23,572 | 145,031 |
| S-Scrap | 4,167 | 7,343 | 11,510 | 4,346 | 7,363 | 11,709 |
| N-Nondescript | 651 | 3 | 654 | 1,920 | 38 | 1,958 |
| Total all groups | 793,636 | 147,177 | 940,813 | 617,778* | 139,029 | 756,807* |

^{1/} Subject to revision.

* Revisions in October 1 report.

Table 6.-Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, January 1, 1949 1/

REPORTED WEIGHT

| Type name | U.S. type number | Reported as owned by manufacturers 2/ | | | Reported as owned by dealers 2/ | | | Combined totals |
|---|------------------|---------------------------------------|-----------|-----------|---------------------------------|-----------|-----------|-----------------|
| | | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | |
| Old and Middle Belt flue-cured | 11 | 389,286 | 132,769 | 522,055 | 139,390 | 8,468 | 147,858 | 669,913 |
| Eastern North Carolina flue-cured | 12 | 318,790 | 118,782 | 437,572 | 78,815 | 13,267 | 92,082 | 529,654 |
| South Carolina flue-cured | 13 | 209,382 | 55,211 | 264,593 | 46,252 | 8,266 | 54,518 | 319,111 |
| (including Southeastern N.C.) | | | | | | | | |
| Georgia and Florida flue-cured | 14 | 16,177 | 118,120 | 134,297 | 12,986 | 9,481 | 22,467 | 156,764 |
| Total flue-cured | 11-14 | 933,635 | 424,882 | 1,358,517 | 277,443 | 39,482 | 316,925 | 1,675,442 |
| Virginia fire-cured | 21 | 13,858 | 298 | 14,156 | 6,447 | 4 | 6,451 | 20,607 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 49,440 | 407 | 49,847 | 34,333 | 8 | 34,341 | 84,188 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 11,550 | 36 | 11,586 | 26,160 | 12 | 26,172 | 37,758 |
| Henderson Stemming | 24 | - | 14 | 14 | 235 | - | 235 | 249 |
| Total fire-cured | 21-24 | 74,848 | 755 | 75,603 | 67,175 | 24 | 67,199 | 142,802 |
| Burley | 31 | 664,078 | 143,873 | 807,951 | 129,558 | 3,304 | 132,862 | 940,813 |
| Low-nicotine | 31-V | 47 | 132 | 179 | - | - | - | 179 |
| Southern Maryland | 32 | 14,894 | 14,724 | 29,618 | 11,130 | 37 | 11,167 | 40,785 |
| Total light air-cured | 31-32 | 679,019 | 158,729 | 837,748 | 140,688 | 3,341 | 144,029 | 981,777 |
| One Sucker | 35 | 18,812 | 551 | 19,363 | 19,769 | 27 | 19,796 | 39,159 |
| Green River | 36 | 16,764 | 948 | 17,712 | 11,868 | 22 | 11,890 | 29,602 |
| Virginia sun-cured | 37 | 2,395 | 314 | 2,709 | 304 | - | 304 | 3,013 |
| Total dark air-cured | 35-37 | 37,971 | 1,813 | 39,784 | 31,941 | 49 | 31,990 | 71,774 |
| Pennsylvania Seedleaf | 41 | 60,734 | 5,128 | 65,862 | 6,964 | 106 | 7,070 | 72,932 |
| Ohio Filler (Miami Valley) | 42-44 | 16,001 | 1,243 | 17,244 | 1,982 | 48 | 2,030 | 19,274 |
| Puerto Rican 3/ | 46 | 2,795 | 20,066 | 22,861 | 14,036 | 5,606 | 19,642 | 42,503 |
| Total cigar filler | 41-46 | 79,530 | 26,437 | 105,967 | 22,982 | 5,760 | 28,742 | 134,709 |
| Connecticut Broadleaf | 51 | 20,254 | 732 | 20,986 | 5,321 | 357 | 5,678 | 26,664 |
| Connecticut Havana Seed | 52 | 15,821 | 439 | 16,260 | 4,314 | 5 | 4,319 | 20,579 |
| New York and Pa. Havana Seed | 53 | 1,771 | 28 | 1,799 | 148 | - | 148 | 1,947 |
| Southern Wisconsin | 54 | 28,625 | 2,556 | 31,181 | 1,474 | 49 | 1,523 | 32,704 |
| Northern Wisconsin | 55 | 22,935 | 690 | 23,625 | 6,190 | 81 | 6,271 | 29,896 |
| Georgia and Florida binder | 56 | 111 | - | 111 | 34 | - | 34 | 145 |
| Total cigar binder | 51-56 | 89,517 | 4,445 | 93,962 | 17,481 | 492 | 17,973 | 111,935 |
| Connecticut shade | 61 | 8,246 | 149 | 8,395 | 6,692 | - | 6,692 | 15,087 |
| Georgia and Florida shade- | 62 | 2,787 | 24 | 2,811 | 3,674 | 8 | 3,682 | 6,493 |
| Total cigar wrapper | 61-62 | 11,033 | 173 | 11,206 | 10,366 | 8 | 10,374 | 21,580 |
| Perique | 72 | - | 323 | 323 | - | 249 | 249 | 572 |
| Other Miscellaneous Domestic 4/ | 73 | 89 | 498 | 587 | 116 | 6 | 122 | 709 |
| Total Miscellaneous Domestic | 72-73 | 89 | 821 | 910 | 116 | 255 | 371 | 1,281 |
| Cuba (Havana) | 81 | 4,422 | 14,100 | 18,522 | 207 | 1,048 | 1,255 | 19,777 |
| Sumatra and Java 5/ | 82 | 286 | 6 | 292 | 59 | - | 59 | 351 |
| Philippine Islands (Manila) | 83 | 19 | 156 | 175 | 4 | - | 4 | 179 |
| Other Foreign-grown cigar-leaf | 84 | 14 | - | 14 | 82 | - | 82 | 96 |
| Total foreign-grown cigar-leaf | 81-84 | 4,741 | 14,262 | 19,003 | 352 | 1,048 | 1,400 | 20,403 |
| Foreign-grown cigarette and smoking tobacco (Turkish & other) | 90 | 115,677 | - | 115,677 | 12,670 | - | 12,670 | 128,347 |
| Total all types | 11-90 | 2,026,060 | 632,317 | 2,658,377 | 581,214 | 50,459 | 631,673 | 3,290,050 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis. Figures are as reported to date; no revisions of this table will be made.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnote 6 on page 13.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 7.—Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, January 1, 1949 compared with other quarters 1/

REPORTED WEIGHT

| Type name | U.S. type number | January 1, 1949 2/ | | | October 1 1948 | January 1 1948 | October 1 1947 |
|---|------------------|--------------------|-----------|-----------|----------------|----------------|----------------|
| | | Unstemmed | Stemmed | Total | | | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Old and Middle Belt flue-cured | 11 | 528,676 | 141,237 | 669,913 | 533,675 | 624,459 | 418,855 |
| Eastern North Carolina flue-cured | 12 | 397,605 | 132,049 | 529,654 | 511,363 | 546,164 | 442,116 |
| South Carolina flue-cured (including Southeastern N.C.) | 13 | 255,634 | 63,477 | 319,111 | 350,772 | 342,878 | 347,291 |
| Georgia and Florida flue-cured | 14 | 29,163 | 127,601 | 156,764 | 173,737 | 156,595 | 176,309 |
| Total flue-cured | 11-14 | 1,211,078 | 464,364 | 1,675,442 | 1,569,547 | 1,670,096 | 1,384,571 |
| Virginia fire-cured | 21 | 20,305 | 302 | 20,607 | 18,733 | 17,673 | 19,174 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 83,773 | 415 | 84,188 | 93,964* | 74,881 | 82,900 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 37,710 | 48 | 37,758 | 40,587 | 30,533 | 32,833 |
| Henderson Stemming | 24 | 235 | 14 | 249 | 300 | 177 | 140 |
| Total fire-cured | 21-24 | 142,023 | 779 | 142,802 | 153,584* | 123,264 | 135,047 |
| Burley | 31 | 793,636 | 147,177 | 940,813 | 756,807* | 941,492 | 803,870 |
| Low-nicotine | 31-V | 47 | 132 | 179 | 144 | - | - |
| Southern Maryland | 32 | 26,024 | 14,761 | 40,785 | 49,592* | 38,950 | 46,743 |
| Total light air-cured | 31-32 | 819,707 | 162,070 | 981,777 | 806,543* | 980,442 | 850,613 |
| One Sucker | 35 | 38,581 | 578 | 39,159 | 37,870 | 39,419 | 36,539 |
| Green River | 36 | 28,632 | 970 | 29,602 | 28,381 | 27,945 | 25,000 |
| Virginia sun-cured | 37 | 2,699 | 314 | 3,013 | 2,763 | 2,953 | 3,334 |
| Total dark air-cured | 35-37 | 69,912 | 1,862 | 71,774 | 69,014 | 70,317 | 64,873 |
| Pennsylvania Seedleaf | 41 | 67,698 | 5,234 | 72,932 | 90,606* | 72,740 | 86,872 |
| Ohio Filler (Miami Valley) | 42-44 | 17,983 | 1,291 | 19,274 | 20,633* | 19,573 | 20,424 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 2,904 | 21,341 | 24,245 | 24,867* | 29,024 | 29,244 |
| In Puerto Rico | 46 | 13,927 | 4,331 | 18,258 | 26,132* | 17,747 | 25,294 |
| Total cigar filler | 41-46 | 102,512 | 32,197 | 134,709 | 162,238* | 139,084 | 161,834 |
| Connecticut Valley Broadleaf | 51 | 25,575 | 1,089 | 26,664 | 28,087* | 25,561 | 26,481 |
| Connecticut Valley Havana Seed | 52 | 20,135 | 444 | 20,579 | 17,971* | 22,832 | 15,291 |
| New York and Pa. Havana Seed | 53 | 1,919 | 28 | 1,947 | 2,233* | 2,217 | 2,404 |
| Southern Wisconsin | 54 | 30,099 | 2,605 | 32,704 | 34,268 | 32,884 | 35,458 |
| Northern Wisconsin | 55 | 29,125 | 771 | 29,896 | 33,168* | 31,282 | 34,307 |
| Georgia and Florida Binder | 56 | 145 | - | 145 | 219 | 183 | 348 |
| Total cigar binder | 51-56 | 106,998 | 4,937 | 111,935 | 115,946* | 114,959 | 114,289 |
| Connecticut shade | 61 | 14,938 | 149 | 15,087 | 10,937* | 14,879 | 10,493 |
| Georgia and Florida shade | 62 | 6,461 | 32 | 6,493 | 7,313* | 5,183 | 5,479 |
| Total cigar wrapper | 61-62 | 21,399 | 181 | 21,580 | 18,250* | 20,062 | 15,972 |
| Perique | 72 | - | 572 | 572 | 614 | 503 | 457 |
| Other Miscellaneous Domestic 3/ | 73 | 205 | 504 | 709 | 670* | 1,440 | 1,615 |
| Total Miscellaneous Domestic | 72-73 | 205 | 1,076 | 1,281 | 1,284* | 1,943 | 2,072 |
| Cuba (Havana) | 81 | 4,629 | 15,148 | 19,777 | 20,876* | 26,458 | 26,895 |
| Sumatra and Java 4/ | 82 | 345 | 6 | 351 | 464 | 773 | 879 |
| Philippine Islands (Manila) | 83 | 23 | 156 | 179 | 277 | 816 | 771 |
| Other foreign-grown cigar-leaf | 84 | 96 | - | 96 | 102* | 93 | 47 |
| Total foreign-grown cigar-leaf | 81-84 | 5,093 | 15,310 | 20,403 | 21,719* | 28,140 | 28,592 |
| Foreign-grown cigarette and smoking tobacco (Turkish and other) | 90 | 128,347 | - | 128,347 | 112,422 | 122,933 | 109,567 |
| Total all types | 11-90 | 2,607,274 | 682,776 | 3,290,050 | 3,030,547* | 3,271,240 | 2,867,430 |

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1948, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 6 on page 13.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in October 1 report.

